

Plant-Human Embodied Biofeedback (pheB): A Soft Robotic Surface for Emotion Regulation in Confined Physical Space

Elena Sabinson
Cornell University
Ithaca, NY, USA
es963@cornell.edu

Isha Pradhan
Cornell University
Ithaca, NY, USA
ip94@cornell.edu

Keith Evan Green
Cornell University
Ithaca, NY, USA
keg95@cornell.edu



[A] Two states of pheB (plant-human embodied biofeedback).

Paste the appropriate copyright/license statement here. ACM now supports three different publication options:

- ACM copyright: ACM holds the copyright on the work. This is the historical approach.
- License: The author(s) retain copyright, but ACM receives an exclusive publication license.
- Open Access: The author(s) wish to pay for the work to be open access. The additional fee must be paid to ACM.

This text field is large enough to hold the appropriate release statement assuming it is single-spaced in Times New Roman 7-point font. Please do not change or modify the size of this text box.

Each submission will be assigned a DOI string to be included here.

ABSTRACT

“pheB,” is a robotic “plant-human, embodied, biofeedback” system to support the wellbeing of human inhabitants in confined, physical spaces. This surface aims to increase users’ emotion regulation and foster connections with nature by visualizing the internal states of plants through tactile, expressive movement. Unlike 2D biofeedback visualization models currently in use, our research explores mindfulness practices through immersive, tangible interactions to increase therapeutic effectiveness. This pictorial traces the development of our design (to-date) and presents results from an early user study conducted to (a) assess the prototype at leading breathing exercises, (b) evaluate preferences for different design features, and (c) refine the design of a questionnaire for future user testing. Findings suggest pheB was perceived positively and as an embodied extension of self during guided breathing exercises. This work contributes knowledge toward developing novel biofeedback modalities and offers a design exemplar for interactive artifacts that nurture meaningful relationships with nature.

Authors Keywords

biofeedback; biophilia; soft robots; biological interactions, human-robot interaction

Acknowledgments

Alexandra Steelman & Aratrika Ghatak

INTRODUCTION

This paper discusses the design of a “plant-human, embodied, biofeedback” robotic surface (“pheB”) that supports the wellbeing of human inhabitants in confined, physical spaces. pheB provides inhabitants with therapeutic support manifested as gentle, responsive behaviors of the soft robot, shaped by computational transformations of electrical signals emitted by plants and humans. This robotic interface is designed to increase the inhabitant’s ability to regulate emotions through biofeedback, whereby the robot behavior and physiological states of the *plant-human dyad* synchronize.

Our key research questions are two: (1) Do tangible, embodied interaction modalities increase the effectiveness of mindful breathing practices and biofeedback?; and (2) Do tangible, embodied representations of a plant’s internal states amplify the restorative effects of nature and foster meaningful plant-human relationships through a more expressive interaction?

CSS CONCEPTS

•Human-centered computing~Interaction design~Interaction design process and methods~Interface design prototyping •Human-centered computing~Interaction design~Empirical studies in interaction design •Human-centered computing~Visualization~Visualization design and evaluation methods

MOTIVATIONS & FRAMEWORK


There is an urgent need to rethink the design of domestic settings, prompted by climate change, a growing population, rapid urbanization, global pandemics, and limited access to nature. Humans are spending considerably less time outdoors [19] and residing in crowded urban areas. Looking to the future, society is preparing for the possibility of living in extreme environments on Earth and other planets. Such “homes” may be spatially confined (capsule habitats, like submarines or spacecrafts), or microhomes (dwellings less than 200 square feet). To prevent the spread of infectious disease, stay-at-home measures further compel the need to find ways to sustain mental health during long periods spent in tighter confines. Evidence shows [4, 28] that confined spaces can stress inhabitants due to separation from nature and prolonged social isolation which negatively impacts emotional wellbeing. Embedding ecologically-rich, interactive [13] biofeedback interfaces into domestic architecture can enrich the experience of living in a confined, isolated space.

The efficacy of biofeedback for therapeutic purposes has been widely studied [7, 12, 25] as a behavioral treatment for mental health disorders and overall benefit to emotional wellbeing. The choice to design with biofeedback elements is supported by the framework of *Interoception*, the ability to sense one’s own internal states, and suggests new modalities of human-robot interaction grounded in cognitive neuroscience [10]. pheB increases awareness of one’s internal physical states to mediate emotion regulation. The surface performs embodied heartbeat visualizations, guided breathing exercises, and movement that simulates soothing patterns of nature. Unlike many 2D biofeedback visualization models currently in use, our research explores mindfulness practices through immersive, tangible interactions. Previous spatial biofeedback designs [27] have required users to enter structures designed solely for biofeedback purposes. pheB’s design embeds the biofeedback device into pre-existing habitats, facilitating a more seamless interaction to adopt spatial, tangible biofeedback into daily life.


The design of pheB is informed by *Biophilia*, which posits an intrinsic human attraction and attachment to nature [18]. Human-environment researchers have found that exposure to nature is vital to human wellbeing [17]. Plant life and patterns of nature, or *nature analogues*, can produce a restorative effect through *soft fascination*, an involuntary attention to pleasing stimuli [26]. pheB translates sensory data from the plant-human dyad into an experience of *soft fascination* through the behavior of the surface, which is both familiar and mysterious: familiar, in that pheB’s robotic behavior follows the algorithm of familiar phenomenon, (e.g. the soothing patterns of wave forms); mysterious, in that pheB’s behavior is trans-mediated from the familiar to a novel mode of expression. Applied to walls and ceilings in compact environments, we envision pheB as a rail encircling the room, a floor-to-ceiling or wall-to-wall swath, and an object on a wall [B]. pheB amplifies the unseen experiences of plants through embodied representation, providing tangible visualization of plant behavior not typically visible to humans.

DESIGN OVERVIEW


The pattern and movement of pheB is determined by discrete physiological outputs from the plant-human dyad [C]. Two types of bio-signals are used to drive the device, human heart rate and electrical impulses expressed by plants, that are modulated by shifts in the plant’s environmental stimuli and resources [e.g. light, 6]. The plant-human bio-signals are translated into distinct inflation patterns: air pressure is delivered by numerically controlled regulators to the silicone surface with air chambers of various volumes and shapes. When a human user has an elevated heart rate, the surface inflates at a rhythm that encourages the user to slow their respiratory rate. State shifts in the plant’s physiology initiate an inflation pattern that mimics natural phenomena (e.g., the rhythm of rainfall) evoking the biological [21]. Biomimetic design can create an emotional response in human users while fostering a deeper connection to the biological world [20]. pheB captures the physiological state of the plant-human dyad as one coherent biofeedback index in real time.



Submarine
wall-to-wall swath




Microhome
floor-to-ceiling



Spacecraft
rail encircling room

[B] pheB embedded in different interior spatial arrangements.




[C] System diagram of the human-plant dyad interacting with the pheB soft robotic biofeedback surface in a microhome setting.

PLANT ELECTRICAL SIGNAL

pheB is a surface comprised of both robot and plant life. The plant aspect of pheB represents an index of the human’s wellbeing, as the state of the plant’s health reflects the human’s own emotional wellbeing. This conclusion follows from evidence that a human that cares well for a plant is a well human [3, 22]. The robot aspect of pheB promotes connection to nature by magnifying the unseen experiences of plants and encourages the human to better care for the plant by visualizing changes in its health status [1, 5]. This is achieved using electrodes that measure shifts in the electrical signals emitted by plants in response to environmental stimuli [9]. These shifts are fed into a control algorithm that initiates movement of the robotic surface. We are working towards designing a set of behaviors that represent different physiological states of the plant (e.g. a plant needs water) with real-time feedback. The behaviors also reinforce attachment to nature, as the behaviors are designed to translate and simulate calming natural phenomena (e.g. the ebb and flow of the ocean surface, leaves swaying in a gentle wind). Through this interactive surface, the human sees a more animated expression of the plant’s experience, which has been demonstrated to engage neurological mechanisms of social cognition [29]. As the human develops a relationship with both the plant and the robotic surface as an embodied extension of the plant, they are more likely to anthropomorphize the plant, thereby increasing empathy and attachment.


To date, we have established proof of concept for the plant signal, using low-cost surface mounted electrodes and the electromyography (EMG) detector from Sseed Studio with Arduino, we recorded the electrical signals by attaching the electrodes to the leaves of different plants [D]. We performed several experiments to see what stimuli created a shift in the electrical signal output from the plant. We repeatedly observed the voltage measured from the plant’s signal shift in response to light detection, human touch, and the presence of water. For example, when the lights are turned on, the voltage output from the plant increases. The design of pheB represents these state shifts through its biomorphic design which harnesses the patterns of nature for expressive means.



Surface mounted electrodes on plant



Variations in plant signal in response to stimuli measured




[D] Surface mounted electrodes record the electrical signals emitted by plants in response to environmental stimuli (light).


DESIGN & FABRICATION

There is a growing interest in soft robotics in the field of interaction design due to their compliant, flexible nature [14]. Soft robots (or soft actuators) are typically fabricated using a set of molds to cast silicone, or other comparable elastomer materials. The mold forms a series of interior cells with connecting channels to move the air throughout the robot [24]. The behavior of the robot is controlled in part by the shape and volume of the pre-determined cells, as defined by the mold as well as by the amount of air that is fed into the pneumatic device. As our research is interested in exploring soft robotic surfaces for their expressive qualities [15, 16] we wanted to develop an easy way to quickly iterate different surface typologies to test their respective potentials for our biofeedback surface. We were interested in designing surfaces with irregularly shaped grid cells to incorporate visual intrigue, capable of evoking *soft fascination* [17]. Additionally, we sought to evoke a biological sensibility by using a pattern that resembled natural analogues through biomorphic geometry (e.g. cracks found in the desert earth, the scales of a reptile, or the texture of a cephalopod’s skin).

We created an algorithm using Rhinoceros 3D/Grasshopper (www.rhino3d.com) computer-aided design (CAD) software that enables us to produce a wide range of digital models to cast different surface designs [E]. In addition to a variety of patterns typologies, the algorithm made it so that as the prototype continues to develop, we can easily change the size and shape of the overall surface. The algorithm also allowed us to manipulate the underlying grid to produce desired inflation patterns, through areas of compression and expansion. One technique we explored was the use of “curve attractors,” which allows one to draw vectors in the workspace and apply a magnitude of attraction/repulsion. Based on the placement of the curve attractors, the number of sub-divisions in the grid cells, and the magnitude of the attraction, we are able to control where the larger grid cells are placed to shape the behavior of the surface. The algorithm also creates a set of corresponding air channel pathways to connect the air chambers along the array of cells. The current algorithm



Grasshopper script to build custom mold patterns with curve attractors to control size of surface cells




[E] Computational algorithm used to generate molds of pneumatic silicone pheB surface for quick iterative prototyping.

uses the midpoint of neighboring grid cells to generate a channel along the shortest path.


After the initial prototypes were fabricated, still images of the inflated surface in different positions were taken in top view. The images were used to analyze how the initial grid pattern of the chambers influenced the prototype's range of behavior. A rectangular grid of lines and a series of closed ellipses were manually overlaid onto the images to evaluate the nominal area of different inflation swells [F]. This exercise provided valuable insights into the relationship between the air chambers designed in the digital model and the corresponding performance of the physical surface.

We also reinforced the biophilic nature of the surface by using images from nature as a generative tool for the design of the inflation patterns. We made bitmap images of natural features (e.g. trees in the forest) and imported them into our CAD software [G]. We then overlaid the images with a series of vectors. We applied an attraction force towards these curves using our Grasshopper script to generate a pattern that loosely corresponds to the identified features. This creates a pattern with variations that resemble shapes and forms seen in nature. The resulting design has a biomorphic effect that is familiar in its organic appearance, yet also mysterious.

The current prototype has four distinct air channel pathways with unique inputs that run horizontally across the surface. Moving forward, our goal is to develop a physical prototype that is capable of inflating in patterns that simulate soothing natural phenomena. While the biophilic inflation pattern will be determined largely by a control algorithm that drives a series of electronic pressure regulators, the underlying surface also needs to be able to facilitate the movement. To explore how we might change the behavior of the prototype through the design of the surface, we produced a series of diagrams to evaluate strategies to inflate the device through different air channel typologies. This series of diagrams [H], helped us to consider many inflation permutations of possible behavior using the same underlying grid. Future work will also consider a heterogenous approach to the design of the air channels, where multiple strategies are integrated into one surface to produce a variety of possible inflation behaviors representing different facets of the biofeedback loop. For example, pheB might use distinct inflation types to represent whether the visual feedback is related to the physiology of the plant or human.




[F] Diagrammatic analysis of pheB prototype in different positions to evaluate different inflation swells.




Biophilic Surface Development


Bitmap image of nature is brought into CAD software and traced. Curves are drawn over natural features which determines the pattern of the surface.




[G] Bitmap image used to create biophilic surface.




H1] By Row: horizontal air channels




H2] By Column: vertical air channels




H3] Single Input: continuous channel




H4] Two Inputs: c-shape channels




H5] Two Inputs: zig-zag channels




H6] Multiple Inputs: spiral channels



H7] Multiple Inputs: c-shape channels



H8] Interlocking: air channel matrix



H9] Individual: unique input for each cell

[H] Strategies for different air channels pathways to control the behavior of the pneumatic surface.

QUESTIONNAIRE DESIGN

Our early prototypes have established proof of concept for the bio-electrical control systems and started to test different inflation patterns. We continue to refine the early prototypes. To guide our process, we developed an online questionnaire to discover user preferences for different design features: color, size, scale, and orientation. While the fabrication process was designed to make it easy to produce a variety of different designs for the pheB surface, the cost of materials and labor demands for prototyping with silicone are quite high. Therefore, digital images can provide important insights during our user testing process without investing the time and money to build a physical prototype. We produced a series of animated gifs depicting the pheB surface embedded in the wall of a small, confined space. Two renderings were made to construct each animated gif: the first rendering shows pheB uninflated, and the second, inflated [J]. This was done so respondents could evaluate the prototype in both an active and resting position. Additionally, we believed that seeing the surface subtly inflating in the gif will help respondents associate the digital drawings with the prototype seen in the breathing exercise videos. A 3D model of a person was placed in the scene to help the participants imagine themselves within the room, standing in front of the surface.

Participants were asked to assign a series of gifs depicting pheB in different colorways into three categories: 1) exciting; 2) relaxing; and 3) neutral. Six hues were used to cover the whole range of the spectrum (i.e. red, orange, yellow, green, blue, and purple); the images were otherwise identical [I]. As color has been demonstrated to be associated with emotional perception and affective meaning [2], we wanted to assess how different colors of the pheB surface might be perceived by users. Insights from the user evaluations will guide our developing work as we add complexity to the prototype. Based on prior research, we hypothesize that cool colors (blue and green) will be more highly associated with relaxation, while warm colors (red and orange) will be more frequently associated with excitement, while the colors purple and yellow will be more frequently assigned to the neutral category.

The questionnaire also asked respondents for their preferences for the size of the overall pheB surface, the scale of the air chambers, and the orientation in the environment (i.e. horizontal/vertical). Three questions were asked, with three design options per question:

Drag and drop each color in the category you think fits best: Exciting, Relaxing, or Neutral



[I] Gifs of pheB in different colors are grouped in three categories: exciting, relaxing, and neutral.



[J] Animated gifs depict pheB surface in resting and inflated positions.

1) pheB surface covering the entire wall with air chambers at three different scales; 2) pheB surface shown in a vertical orientation at three different widths; and 3) pheB surface shown in a horizontal orientation at three different widths [K]. We did not form a hypothesis on which features would be preferred, as there was little precedent to inform our reasoning.

METHOD

Our initial user testing focused on our first primary research question: Do tangible, embodied interaction modalities increase the effectiveness of mindful breathing practices and biofeedback? Given the current global pandemic which requires research methods that can be conducted remotely, we chose to focus primarily on developing mindful breathing practices, which can be administered online and in-person. Therefore our aim for the initial user study was to (a) assess how successful the pheB prototype was at leading guided breathing exercises, (b) evaluate preferences for different design features, and (c) refine the design of the questionnaire before disseminating it widely. To begin user testing, we conducted a small pilot study to observe people's response to the current prototype as well as evaluate the early version of the questionnaire. The in-person pilot study had five participants from a convenience sample who were asked to complete exercises from the questionnaire, and provide feedback on pheB through unstructured interviews.

Participants were asked to perform a series of four guided breathing exercises demonstrated to have a calming effect [8, 23]. Two



[K] Rendered images of pheB in confined space shown in different orientations and widths.

distinct breathing patterns are used for four exercises and are presented to the participants in a series of videos lasting one minute and thirty seconds each [L]. The 4-7-8 exercise directed a person to inhale for four seconds, hold their breathe for seven seconds, exhale for eight seconds, and is associated with relaxation. The 6-10 exercise directed a person to inhale for six seconds and exhale for ten. Evidence has shown that exhaling longer than inhaling can stimulate the vagus nerve and activate the parasympathetic nervous system [11], which is responsible for activities such as digestion and rest. Both breathing exercises were visualized in two ways: 1) through a simple 2D animation of a line that moves towards becoming a complete circle while the participant is breathing in, a complete circle when holding, and reverses when breathing out; and 2) a video of the pheB surface that inflates, holds, and deflates in the rhythm of the breathing exercises. Using a within-person research design, all participants were asked the same survey questions, allowing participants to compare and rank the different visualizations modalities.

To control for participant fatigue, we randomized the order of the exercises. For the breathing exercise videos we controlled for color as a confounding variable by matching the color of the 2D animation with the corresponding pheB (i.e. orange and green). The lines in the 2D animation are presented with a feathered edge, to create a more soft, tactile visualization, and establish some visual interest. Text is used to help the participants follow the timing of the exercise. The text has the same font, size, and placement across all four conditions; however, white text is used for the pheB breathing exercises to increase contrast and legibility. After each breathing exercise, participants were asked to evaluate their experience. In the questionnaire, participants were asked if they agree or disagree with three Likert-style scale statements: 1) This breathing exercise was relaxing; 2) I enjoyed this breathing exercise; 3) I thought this video was an effective tool for the breathing exercise. Then the participants ranked the breathing exercises from best to worst. An open-ended follow-up question asks

Breathing Exercise (4-7-8)		
(4 seconds)	(7 seconds)	(8 seconds)
Breathing Exercise (6-10)		
(6 seconds)	(10 seconds)	
<p>Rank the breathing exercises by dragging and dropping them in order. (1 being the best)</p> <ol style="list-style-type: none"> 		

[L] Images from four breathing exercises used to evaluate the effectiveness of the pheB surface.

them to explain their reasoning. After the four breathing exercises were completed, the participants were asked to rate their current stress level again. Our research aims to understand whether a tangible, embodied visualization technique will be more effective than the 2D animation. While both exercises will be viewed through a screen, and have tactile features, we hypothesize that the breathing exercises with the tangible pheB surface will be ranked higher by participants as an effective guide and increase experiences of shared embodiment.

RESULTS

During the in-person study, participants performed the same breathing exercises developed for the questionnaire, but qualitative feedback was given through informal interviews. We also elicited feedback on pheB through a live demonstration of the working prototype and asked participants to evaluate the questionnaire so that it could be improved upon before we administered the final version on Amazon's Mechanical Turk.

For the most part participants responded positively to the questionnaire but provided some valuable feedback that will be implemented in the final version. Many comments on the questionnaire were directed at the animated gifs used to evaluate design features. Some participants preferred the images to be organized side-by-side so they could be easily compared, while another wanted to view each image individually so they could be assessed independently and then compared after. There was no overarching consensus as opinions varied greatly among participants.

For the breathing exercises, we were interested in learning how participants felt about the pace and duration of the breathing exercises. We also wanted to determine if people preferred the 4-7-8 or 6-10 breathing exercise. Most participants felt that the pace and duration was comfortable; however, one participant felt that it was "tedious" to perform all four exercises in succession. Generally, the 4-7-8 exercise was preferred over the 6-10 sequence. When comparing the 2D animated visualization with the pheB visualization, participants felt that the 2D animation was "less distracting" but it was also described



[M] User explores the tactile nature of the pheB surface while inflated.

as "less interesting." One participant felt that the 2D visualization made it easier to pace their inhalations because they could more easily follow the progress of the circle. Yet another participant felt that they had to pay close attention during the 2D animation and stare directly at the computer, whereas with the pheB surface they felt that could follow along using just their peripheral vision. They enjoyed that they could use the surface to indirectly guide their breathing with less focused attention. This aligns with the theoretical frameworks behind biophilic design [18] and soft fascination [17], which suggest that involuntary attention can be restorative, as well as encourage reflection and the exploration of ideas through mental wandering.

There were several comments that addressed experiences of embodiment during the pheB exercises. One person in the study, stated that they were more aware of their lungs when following the pheB surface because they felt the surface was "metaphorically related to lungs" and a "visual index of what breathing looks like." This description was supported by additional comments about breathing with pheB, as one participant described, they felt "like they were in it together" and had a "connection because [pheB] was doing what I was feeling." Another described pheB as something "critter-like I was breathing with." Participants largely expressed that the breathing exercises were relaxing.

When asked to describe the pheB surface, participants used the following descriptors: *tactile*, *soft*, *friendly*, *amorphous*, *futuristic*, *alien*, *bulbous*, *organic*, *blob-like*, and *fantastical*. One participant thought it reminded them of an anatomical organ, they stated that the surface was "a little disturbing but strangely calming." This was supported by another comment which described it as "familiar but strange." Almost all the participants made comparisons between pheB and biological analogues. It was compared to "a jellyfish or invertebrate," "a turtle shell," "craters on Mars," "plant cells," "slime," "fruit pods," and a "membrane." None of the participants expressed fear, and most felt that they wanted to touch the surface. Overall, participants found pheB intriguing

and indicated they wanted to interact further with the surface. Findings from our early study suggest that pheB was successful at guiding embodied mindfulness interactions, and that the tangible surface can induce feelings of shared experience with the soft robot during breathing exercises. pheB's design was associated with biological entities and patterns of nature, which may increase the biophilic sensibility of the system. Feedback demonstrated that pheB was perceived as calming and intriguing; this suggests the movement of the surface might induce soft fascination which allows the mind to wander and can alleviate stress. pheB provides a design exemplar of a novel biofeedback surface that enacts a set of behaviors reflecting a hybrid biofeedback loop which visualizes the internal experiences of both plants and humans. This research contributes an exploration of inter-species biofeedback, which cultivates a connection to the natural world, mediated through the bio-cyber-physical system.


LIMITATIONS & FUTURE WORK

The research team is mindful of the limitations of our initial results given that the pheB prototype is in its early stages. The current prototype has established proof of concept for the use of plant electrical signals as a control system, yet more work must be done to integrate the plant biofeedback into the interactive system. Future studies will focus on our second primary research question: Do tangible, embodied representations of a plant's internal states amplify the restorative effects of nature and foster meaningful plant-human relationships through a more expressive interaction? We plan to demonstrate the validity of our results with more quantitative analysis, but early discussions with the convenience sample suggested that visualizing the internal states of plants was a compelling way to engage with plant life and participants seemed to perceive the expressive plant-human interaction as meaningful.

Future work will assess if pheB is perceived as biophilic and restorative. The current questionnaire focuses on aesthetic design features and breathing exercises. We are developing an additional questionnaire for the next

phase of user testing that will be used to evaluate user perceptions of visual representations of actual natural phenomenon compared to pheB's representations of natural phenomena.

Toward this goal, we are developing a bioinspired algorithm that translates the movement of the natural phenomena into a corresponding inflation pattern. Applying a math model of a sinusoidal function, we are translating the amplitude and periodicity of ocean waves into a control system for the air pressure regulators. The prototype's new grid pattern has nine air channel inputs. Using Matlab (www.mathworks.com) to simulate inflation patterns, the model uses nine columns to represent each air channel; the grey values correspond with the amount of pressure the regulators use to inflate the column, with lighter values representing more pressure [N]. This resulting inflation behavior can be tested for its restorative effect and perception of biophilic design. More broadly, pheB suggests the kind of tangible, embodied system that we hope will improve emotional wellbeing during periods of isolation in confined spaces and foster a connection with nature that is both restorative and meaningful.



[N] Models to simulate the inflation pattern of ocean waves.

REFERENCES

- [1] Leonardo Angelini, Maurizio Caon, Stefania Caparrotta, Omar Abou Khaled, and Elena Mugellini. 2016. Multi-sensory EmotiPlant: multimodal interaction with augmented plants. In Proceedings of the 2016 ACM International Joint Conference on Pervasive and Ubiquitous Computing: Adjunct (UbiComp '16). Association for Computing Machinery, New York, NY, USA, 1001–1009. DOI:<https://doi-org.proxy.library.cornell.edu/10.1145/2968219.2968266>
- [2] Francis M. Adams and Charles E. Osgood. 1973. A Cross-Cultural Study of the Affective Meanings of Color. *Journal of Cross-Cultural Psychology* 4, 2 (June 1973), 135–156. DOI:<https://doi.org/10.1177/002202217300400201>
- [3] Tina Bringslimark, Terry Hartig, and Grete G. Patil. 2009. The psychological benefits of indoor plants: A critical review of the experimental literature. *Journal of Environmental Psychology* 29, 4 (December 2009), 422–433.
- [4] Sybil Carrere and Gary W. Evans. 1994. Life in an isolated and confined environment: a qualitative study of the role of the designed environment. *Environment and Behavior* 26, 6 (November 1994), 707–741. DOI:<https://doi.org/10.1177/0013916594266001>
- [5] Jacqueline T. Chien, François V. Guimbretière, Tauhidur Rahman, Geri Gay, and Mark Matthews. 2015. Biogotchi! An Exploration of Plant-Based Information Displays. In Proceedings of the 33rd Annual ACM Conference Extended Abstracts on Human Factors in Computing Systems (CHI EA '15). Association for Computing Machinery, New York, NY, USA, 1139–1144. DOI:<https://doi.org/10.1145/2702613.2732770>
- [6] Eric Davies. 2006. Electrical Signals in Plants: Facts and Hypotheses. *Plant Electrophysiology*, 407–422. DOI:https://doi.org/10.1007/978-3-540-37843-3_17.
- [7] Jérémy Frey and Jessica R. Cauchard. 2018. Remote Biofeedback Sharing, Opportunities and Challenges. In Proceedings of the 2018 ACM International Joint Conference and 2018 International Symposium on Pervasive and Ubiquitous Computing and Wearable Computers (UbiComp '18). Association for Computing Machinery, New York, NY, USA, 730–733. DOI:<https://doi-org.proxy.library.cornell.edu/10.1145/3267305.3267701>
- [8] Jérémy Frey, May Grabli, Ronit Slyper, and Jessica R. Cauchard. 2018. Breeze: Sharing Biofeedback through Wearable Technologies. In Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems (CHI '18). Association for Computing Machinery, New York, NY, USA, Paper 645, 1–12. DOI:<https://doi-org.proxy.library.cornell.edu/10.1145/3173574.3174219>
- [9] Jörg Fromm and Silke Lautner. 2007. Electrical signals and their physiological significance in plants: Electrical signals in plants. *Plant, Cell & Environment* 30, 3 (March 2007), 249–257. DOI:<https://doi.org/10.1111/j.1365-3040.2006.01614.x>
- [10] Jürgen Füstös, Klaus Gramann, Beate M. Herbert, and Olga Pollatos. 2013. On the embodiment of emotion regulation: interoceptive awareness facilitates reappraisal. *Social Cognitive and Affective Neuroscience* 8, 8 (December 2013), 911–917.
- [11] Roderik J. S. Gerritsen and Guido P. H. Band. 2018. Breath of Life: The Respiratory Vagal Stimulation Model of Contemplative Activity. *Frontiers in Human Neuroscience* 12, (October 2018), 397. DOI:<https://doi.org/10.3389/fnhum.2018.00397>
- [12] V. C. Goessl, J. E. Curtiss, and S. G. Hofmann. 2017. The effect of heart rate variability biofeedback training on stress and anxiety: a meta-analysis. *Psychological Medicine* 47, 15 (November 2017), 2578–2586. DOI:<https://doi.org/10.1017/S0033291717001003>
- [13] Keith Evan Green. 2016. Architectural robotics: ecosystems of bits, bytes, and biology. The MIT Press, Cambridge, Massachusetts.
- [14] Hooman Hedayati, Srinjita Bhaduri, Tamara Sumner, Daniel Szafir, and Mark D. Gross. 2019. HugBot: A soft robot designed to give human-like hugs. In Proceedings of the 18th ACM International Conference on Interaction Design and Children (IDC '19). Association for Computing Machinery, New York, NY, USA, 556–561.
- [15] Yuhan Hu, Zhengnan Zhao, Abheek Vimal, and Guy Hoffman. 2018. Soft skin texture modulation for social robotics. In 2018 IEEE International Conference on Soft Robotics (RoboSoft), IEEE, Livorno, 182–187.
- [16] Jonas Jørgensen. 2017. Leveraging morphological computation for expressive movement generation in a soft robotic artwork. In Proceedings of the 4th International Conference on Movement Computing (MOCO '17). Association for Computing Machinery, New York, NY, USA, Article 20, 1–4.
- [17] Rachel Kaplan and Stephen Kaplan. 1989. The experience of nature: a psychological perspective. Cambridge University Press, Cambridge; New York.
- [18] Stephen R. Kellert and Edward O. Wilson (Eds.). 1993. The Biophilia hypothesis. Island Press, Washington, D.C.
- [19] Neil E Klepeis, William C Nelson, Wayne R Ott, John P Robinson, Andy M Tsang, Paul Switzer, Joseph V Behar, Stephen C Hern, and William H Engelmann. 2001. The National Human Activity Pattern Survey (Nhaps): a resource for assessing exposure to environmental pollutants. *Journal of*

- Exposure Science & Environmental Epidemiology 11, 3 (July 2001), 231–252. DOI:<https://doi.org/10.1038/sj.jea.7500165>
- [20] Jieun Kim, Carole Bouchard, Nadia Bianchi-Berthouze, and Améziane Aoussat 2011. Measuring Semantic and Emotional Responses to Bio-inspired Design. In International Conference on Design Creativity: Design Creativity 2010, Kobe, Japan. 131-138. DOI:https://doi.org/10.1007/978-0-85729-224-7_18.
- [21] Nicole Koltick. 2015. Autonomous botanist: the poetic potentials of a new robotic species. Computational ecologies: design in the Anthropocene: ACADIA (October 2015), 19-25.
- [22] Min-sun Lee, Juyoung Lee, Bum-Jin Park, and Yoshifumi Miyazaki. 2015. Interaction with indoor plants may reduce psychological and physiological stress by suppressing autonomic nervous system activity in young adults: a randomized crossover study. *Journal of Physiological Anthropology* 34, 1 (December 2015), 21. DOI:<https://doi.org/10.1186/s40101-015-0060-8>
- [23] Zilan Lin, Kai Kunze, Atsuro Ueki, and Masa Inakage. 2020. AromaCue - A Scent Toolkit To Cope with Stress using the 4-7-8 Breathing Method. In Proceedings of the Fourteenth International Conference on Tangible, Embedded, and Embodied Interaction, Association for Computing Machinery, Sydney NSW Australia, 265–272. DOI:<https://doi.org/10.1145/3374920.3374940>
- [24] Li-Ke Ma, Yizhong Zhang, Yang Liu, Kun Zhou, and Xin Tong. 2017. Computational design and fabrication of soft pneumatic objects with desired deformations. *ACM Transactions Graph.* 36, 6, Article 239 (November 2017), 12 pages.
- [25] Nathalie Peira, Gilles Pourtois, and Mats Fredrikson. 2013. Learned cardiac control with heart rate biofeedback transfers to emotional reactions. *PLoS ONE* 8, 7 (July 2013), DOI:<https://doi.org/10.1371/journal.pone.0070004>
- [26] Catherine O. Ryan, William D Browning, Joseph O Clancy, Scott L Andrews, and Namita B Kallianpurkar. 2014. Biophilic design patterns: emerging nature-based parameters for health and well-being in the built environment. *ArchNet-International Journal of Architectural Research* 8, 2 (July 2014), 62. DOI:<https://doi.org/10.26687/archnet-ijar.v8i2.436>
- [27] Holger Schnädelbach, Ainojie Irune, David Kirk, Kevin Glover, and Patrick Brundell. 2012. Exo-Building: Physiologically Driven Adaptive Architecture. *ACM Trans. Computer Human Interaction* 19, 4 (December 2012), 1–22. DOI:<https://doi.org/10.1145/2395131.2395132>
- [28] Peter Suedfeld and G. Daniel Steel. 2000. The environmental psychology of capsule habitats. *Annual Review of Psychology* 51, 1 (February 2000), 227–253. DOI:<https://doi.org/10.1146/annurev.psych.51.1.227>
- [29] Esmeralda G. Urquiza-Haas and Kurt Kotrschal. 2015. The mind behind anthropomorphic thinking: attribution of mental states to other species. *Animal Behaviour* 109, (November 2015), 167–176. DOI:<https://doi.org/10.1016/j.anbehav.2015.08.011>